


# S 21a

Legendary low end



Up to 12.000



Complete solution



Omni and Cardioid



28Hz to 100Hz

S 21a is a compact, high-performance self-powered touring subwoofer, designed to complement our FR-X, ARES 8 and ARES 12 series in sound reinforcement applications scaling to full stadium shows.

S 21a houses a long excursion 21" neodymium driver and combines front diffusion, bass reflex, and transmission line design for maximum efficiency and outstanding SPL.

Rental companies favor S 21a as an alternative to industry-standard 2x18" subs, saving half the truck space and around 40% of the weight. The subwoofer can be deployed standalone, stacked or flown, making it a versatile, high-earning hire stock staple.

An advanced AUDIOFOCUS SCiO Class D amplifier module with integral DSP and versatile presets allows S 21a to be quickly deployed in any configuration, including cardioid and end-fire.

S 21a is built with pride in Belgium and coated in tough, weather-resistant polyurea to safeguard your investment. The cabinet front is protected by a rigid metal grill, backed by acoustically transparent foam.


## Technical specifications

Description	High-power self-powered subwoofer
Transducers	LF: 1 x 21"
Frequency range (-6dB)	28Hz - 100 Hz
SPL Peak (1)	139 dB
Processing	Dedicated AUDIOFOCUS SCiO omni and cardioid presets
Rigging	Pole socket
Audio connectors	IN: 1x3-point XLR • LINK: 1x3-point XLR
Network Connectors	1 x etherCON for control
Power Connectors	IN: 1x3-point powerCON TRUE1TOP LINK: 1x3-point powerCON TRUE1TOP
Dimensions (H x W x D)	590 x 750 x 655 mm • 23.22 x 29.52 x 25.78 inches
Weight	60kg / 132.27lbs
Finish	Highly resistant polyurea coating
Cabinet	High grade birch plywood

(1) Peak level measured at 1 m under free field conditions using pink noise with crest factor 5

## Accessories

### Bumper for S 21



Ref. : 47908

### S 21 Dolly to stack up to 3 sub



Ref. : 47088

### S rigging system to clamp on boxes



Ref. : 47895

### Protection cover for S21 subwoofer for dolly



Ref. : 47716

### Protection cover for 2 x S21 subwoofer STACK configuration



Ref. : 47716

### Protection cover for 3 x S21 subwoofer STACK configuration




Ref. : 47713

## Related Speakers

### ARES 8a


Touring 2-way self-powered line array loudspeaker



Ref. : 48086

### ARES 12a

Touring 3-way 12" self-powered line array loudspeaker



Ref. : 48115

### FRX 15a

Touring 2-way self-powered constant curvature



Ref. : 48108

## Software



### SCiO

#### **Connect & Control your amplifiers**

AUDIOFOCUS SCiO amplifiers can be securely monitored and controlled anytime, anywhere over the network.

Our intuitive Web UI network manager is web-based, eliminating the need for software downloads, and allows multiple amplifiers to be managed from your preferred device.

The network manager offers the comprehensive processing options you would expect from a high-end system controller.

For more detailed information **please visit the AUDIOFOCUS SCiO page.**

## Contact & Links

---

### Need more information about our products ?

[www.audiofocus.eu](http://www.audiofocus.eu)

[info@audiofocus.eu](mailto:info@audiofocus.eu)

[www.facebook.com/AudiofocusPage/](https://www.facebook.com/AudiofocusPage/)

[www.facebook.com/groups/AUDIOFOCUS/](https://www.facebook.com/groups/AUDIOFOCUS/)

Scan QR Code to view the S 21a product's web page.



Follow Us.

